ALUPROF
ALUMINIUM SYSTEMS

LET'S BUILD A BETTER FUTURE

MB-SKYLINE TYPE S

Narrow-Profile Sliding Doors

SPACE AND COMFORT
REDEFINED

MB-SKYLINE TYPE S The MB-SKYLINE TYPE S sliding door system represents a groundbreaking evolution in architectural design. Featuring slim profiles that seamlessly integrate into walls and ceilings, and an ultra-narrow mullion where door leaves meet, this system achieves a sleek, minimalist aesthetic that enhances the elegance and lightness of any structure. Its standout feature is the fully concealed gap threshold, creating a seamless transition between indoor and outdoor spaces like never before.

In the MB-SKYLINE TYPE S system, cutting-edge technology is discreetly hidden beneath the floor. The bottom profile and sliding rollers are ingeniously integrated, leaving only a slim, visually pleasing gap. Building on the proven success of the MB-Skyline model, this enhanced version ensures exceptional quality, smooth operation, and unparalleled design flexibility.

NARROW-PROFILE
SLIDING DOORS

KEY FEATURES AND BENEFITS



01 Two-rail door frame fully integrated into walls and ceilings

02 Slim door leaf profiles that remain invisible at the sides when equipped with a drive or mullion-based locking

03 A 25 mm mullion at the meeting point of the door leaves

04 Maximum door leaf weight: 500 kg (manual operation) or 750 kg (with concealed drive)

05 Glazing options ranging from 52 to 60 mm

06 Door profile depth: 71 mm for the door leaf, 190 mm for the frame

07 Innovative profile to compensate for ceiling deflection

08 Quiet and aesthetically refined sliding seals in the frame

09 Adjustable sliding rollers ensure smooth door operation

10 Manual locking available on the door leaf profile or mullion

11 Drive with integrated radio receiver, safety radar, and smart device control compatibility

12 Option for a fixed glazed panel, visually matching the operable door leaf

13 Concealed drainage system for a clean look

14 System-specific adjustable mounting consoles

15 Enhanced thermal insulation in the structural base

16 ‘Zero mullion’ design enables external sun protection, such as SkyFlow venetian blinds and SkyRoll screens

NARROW-PROFILE
SLIDING DOORS











Door, side cross-section



Door leaves connection, cross-section



Door, bottom cross-section



Door, top cross section

Download the folder
to your device

ALUPROF
ALUMINIUM SYSTEMS

ALUPROF SA Plant in Bielsko-Biała, ul. Warszawska 153, 43-300 Bielsko-Biała, Poland
tel. +48 33 81 95 300, fax +48 33 82 20 512, e-mail: aluprof@aluprof.eu

Grupa Kęty

home.aluprof.com